



VENUE TECHNICAL SPECIFICATIONS

The following are the technical specifications for the Kirkgate. The specific technical specification for your event will depend on your budget and the arrangements that you have made in advance.

AUDITORIUM

The maximum seated capacity is 125. Without seating it is 140.

The space is 15m x 6m (with a stage area of 5m x 6m)

Seating can be arranged on raked platforms or on a flat floor.

Use of our in-house PA/audio equipment (CD player, microphones, DI boxes) and stage lighting is available – please enquire

Our large cinema screen is available for film screenings. The projector can also be linked to laptop for presentations.

The theatre is accessible via two staircases, one at the front of the building and one to the rear. There is also a lift.

Stage

Level stage constructed of hardboard over ply

Raised stage 0.9m from Hall floor

6.2 metres wide by 5.7 metres deep

Forestage Apron 0.8m

Height of proscenium opening 2.6m

Width of proscenium opening 4.8m

Limited wing space (dependent on masking)

House Tabs on fixed track behind proscenium operated from S.L

Cinema screen in permanently rigged position behind proscenium

Effective projection area 3.9m x 1.75m

2 Fixed, rigging bars over-stage for drapes and/or scenic cloths.

Set of full black tabs upstage on track which can be operated S.L

(These blacks also provide an upstage crossover)

Black masking with various soft legs, borders - all in black wool serge

(generally 2 portals with openings approx 4.8m)

Fixed bar Height- 3.5m

Bar Length – 4.4m

Backstage

2 small dressing rooms each with shower. One adjacent toilet.

Wardrobe facilities

Iron and ironing board can be provided by request.

There is **no** washing machine, however there is a launderette offering fast service wash and dry within 2 minutes of the venue. Open 8am - 5pm daily.

LX

Zero 88 24/48 Jester Lighting Desk

2 x Avolites Art 2000 Power Cube

36x 2.5kW dimmers

3 x 6 Way IWB`s on stage

1 x 6 Way IWB FOH

2 x 6 Way IWB (Side Slip FOH bars)

Independent House Light control points located in projection room and auditorium entrance (operated by FOH volunteers).

DMX available via hard wired points located in projection room, at back of auditorium (usual technician control point for live events), stage and at dimmers.

Lantern Stock

6 x CCT - Minuette Flood - 500W

2 x CCT - Starlette Flood - 1250W

9 x ETC Source 4 Junior Zoom 25-50 575W

4 x ETC Source 4 Zoom 25-50 750W

2 x CCT Minuette Profile - 21-36 - 500W -

CCT Minuette Profile - 17- 36 - 500W

8 x CCT Minuette Fresnel 500W 8-57

9 x ETC Fresnel 1000W -

1 x CCT Pursuit 650W follow spot

Sound

Allen & Heath Mix Wizard 16:2 wz3 or Allen & Heath Qu-Pac

Auditorium PA

2 x RCF NX L44A active column speakers

2 x OHM RW Series 2 150W 8 ohm Passive Speakers (Installed as stage fold back system)

4 x Wharfedale Pro EVP-X12PM Active monitor wedges

8 x JBL control 23 Installed as surround speakers
1 x JBL control 2

16 way + 4 Returns XLR stage box from back of hall to stage

Microphones & Accessories:

3 x Shure SM58
2 x Shure SM57
2 x Behringer Condenser C-2
9 x AKG C900

12 x Boom Mic Stands

DI Boxes

4 x Stage Line DIB - 100 DI
1 x Meridian NDR-40M DI

Additional amplification and audio equipment:

Eurorack UB2222FX-Pro Behringer 8 channel
StuDiomaster VX15 speakers plus power cables

KEYBOARD: Roland

Film and projection

HDMI input at stage, via CAT5 to HDMI receiver in projection room. HDMI input can be provided from technician control position at the back of the theatre. Adapter available for VGA connection.

DP2K-6E Barco Alchemy digital projector

Screen 4.8 m x 2.6 m

Dolby Digital® CP750 Cinema Processor

1 x Omnex OMM20 Monitor control Amp

1 x Infocus W260 (IN26+EP) DLP 300W Projector
1 x HP VP6121 DLP 200W Projector

1 x TFT LCD Monitor

Philips BDP7500 DVD/Blue-ray Player

Cables and Miscellaneous

LX Cabling

3 x 1m 15Amp TRS
1 x 2m 15Amp TRS
4 x 3m 15Amp TRS
4 x 4m 15Amp TRS
1 x 6m 15Amp TRS
1 x 7m 15Amp TRS
3 x 9m 15Amp TRS
1 x 11m 15Amp TRS
2 x 12m 15Amp TRS
1 x 23m 15Amp TRS

Cable Jumpers

2 x 4m 15amp plug - 13amp socket

1 x 4m 13amp plug - 15amp socket

Audio Cabling

XLR (M-F)

5 x 1m XLR (M-F)

1 x 4m XLR (M-F)

2 x 5m XLR (M-F)

7 x 6m XLR (M-F)

1 x 7m XLR (M-F)

2 x 8m XLR (M-F)

3 x 9m XLR (M-F)

2 x 10m XLR (M-F)

2 x 3m XLR (F-F)

Audio Jumpers and Misc

5m stereo jack to mini jack

5m stereo jack to stereo male - phono

2m stereo male phono to balanced single jack

Various jack to male/female XLR

Various jack to jack

Video Cabling

1 x 3m VGA male-male

1 x 10m VGA male-male

1 x 20m VGA male-male

1 x 3m VGA male-female

2 x 15m HDMI
1 x 5m HDMI - DCI

1 x 20m Phono RGB-RGB

EGREMONT ROOM

The Egremont Room is our large, carpeted space downstairs, perfect for meetings and smaller parties or functions. The maximum capacity is 60

The Egremont Room can be booked separately, or in combination with the auditorium

GENERAL

Provided as standard with booking: Free WiFi

Available on request:

Portable lighting

Small portable screen and projector

Flip chart and paper

and anything else you may need for your meeting, conference or event